


Sign Checklist

The following nine pages show a comprehensive list of ADA, Code and Interior Signage required on a typical project. Choose a style below and the signs you need. Custom sizes, colors and messages available.

Sign Checklist

Sign Drawings



Accessibility - Entrance


Accessible Entrance signs help guide and direct an unobstructed path to a building and its entrance. Other signs are used to show accessible feature of that building. Braille is generally not required.



10.5 x 9"




10.5 x 9"



6.75 x 7"



11.5 x 11"



11.5 x 11"



11.5 x 11"




11.5 x 11"

- Optional Backer Panel
- 1/8" Modified Non-Glare Acrylic
- Integral Subsurface Colors
- Raised or Subsurface Characters
- Characters bonded under extreme pressure
- Braille not required

Directional - Wayfinding

Directional signs don't require Braille, however, signs should have a non-glare finish and contrasting colors. Signs can be wall mounted, flag mounted, or suspended. Any number of directory panels can be added to suit your needs.



26.3 x 18"



10.5 x 11"



10.5 x 11"



8.5 x 9"



20.3 x 18"



11.5 x 11"



7 x 46"

Optional Backer Panel

1/8" Modified Non-Glare Acrylic

Integral Subsurface Colors

Raised, Vinyl or Subsurface Characters

Characters bonded under extreme pressure

Braille not required

Exit - Evacuation


Egress and exit signs help guide and direct people safely out of a building or facility.
Check local and State codes for variances.



13.75 x 12"




8 x 11"



6.5 x 7"



6.5 x 7"




14.25 x 11"



11.5 x 9"



6.5 x 7"



6.5 x 7"




8 x 11"

- Optional Backer Panel
- 1/8" Modified Non-Glare Acrylic
- Integral Subsurface Colors
- Raised or Subsurface Characters
- Characters bonded under extreme pressure
- Braille embedded into surface if required

Informational - Safety


Informational signs are not required to have raised letters and Braille. However, such signs that provide information about a room or space, do require contrasting colors, a non-glare finish and a minimum of 5/8" lettering.



13.75 x 12"



8 x 11"



11.5 x 11"



8.5 x 9"




11.5 x 11"



11.5 x 11"



8 x 11"



8 x 11"

Optional Backer Panel

1/8" Modified Non-Glare Acrylic

Integral Subsurface Colors

Raised or Subsurface Characters

Characters bonded under extreme pressure

Braille not required

Regulatory - Code

Regulatory and Code signs are not only required, but provide vital information in case of an emergency. Requirements for such signs can vary from state to state or by region. Braille is not required in most cases.




10.5 x 11"



10.5 x 11"



8.5 x 9"



10.5 x 11"



10.5 x 11"



8.5 x 9"



6 x 10"



6 x 10"

Optional Backer Panel

1/8" Modified Non-Glare Acrylic

Integral Subsurface Colors

Raised or Subsurface Characters

Characters bonded under extreme pressure

Braille embedded into surface if required

Restroom Signs


Restroom signs are a specific type of room identification. Pictograms must be in their own 6" high field. California requires a second sign that mounts on the door (1/4" circle or triangle) that must contrast with the door color.



12"




9 x 9"



9 x 9"



9 x 9"




12"



10.5 x 9"



11.5 x 11"



12"







10.5 x 11"

- Optional Backer Panel
- 1/8" or 1/4" Modified Non-Glare Acrylic
- Integral Subsurface Colors
- Precision Cut Raised Characters
- Characters bonded under extreme pressure
- Braille embedded into surface if required


Room and Office Signs

Signs that identify rooms, spaces or areas are required to have raised letters and Braille. This requirement includes both public access areas and all employee areas. Braille needs to be grouped together below the last line of raised lettering.



Stair and Floor Signs

There is many requirements and signs when it comes to identify the various levels in a building. See the ADA floor plan on page 14 and 15 to help visualize each signs location. Check your local or State code for variances.



1st Floor Directory


Nuclear Medicine	→
Medical Imaging Center	→
Occupational Health	→
Cardiopulmonary Center	→
Dermatology	←
Reconstructive Surgery	←

20.3 x 18"



FLOOR LEVEL
22
EXIT AT LEVEL 1

8.5 x 9"



STAIRS

9 x 9"




FLOOR
8

6.5 x 7"



EXIT
STAIR
DOWN

6.5 x 7"




EXIT
STAIR
UP

6.5 x 7"



FLOOR
★ 1

6.5 x 7"



EAST STAIRS
NO ROOF ACCESS
2
1 THRU 8

13 x 13"




IN CASE OF FIRE
USE STAIRS
DO NOT USE
ELEVATOR

9.5 x 10"


- Optional Backer Panel
- 1/8" Modified Non-Glare Acrylic
- Integral Subsurface Colors
- Raised or Subsurface Characters
- Characters bonded under extreme pressure
- Braille embedded into surface if required

Window Slot - Sliders


Window slot signs offer the advantage of quick in-house changes. Simply print out your message and insert it into the clear window area. Slider Plate are also great for quick message changes.




13.75 x 12"




10 x 9"



13.5 x 9"




8.5 x 9"



13.75 x 9"



8.5 x 9"



8.5 x 9"

